LIST OF CONTENTS

NUMBER 1

Announcement	i	
J. Guillet, A. Maazouz et J. F. May	1	Propriétés rhéologiques à l'état fondu de polyesters thermoplastiques chargés de fibres de verre
G. Kaszás, T. Földes-Berezsnich and F. Tüdős	7	Kinetics of radical polymerization—XLVII. Molecular mass and polydispersity in the inhibited polymerization
A. Munardi, R. Aznar, N. Theophilou, J. Sledz, F. Schué and H. Naarmann	11	Morphology of polyacetylene produced in the presence of the soluble catalyst $Ti(OnBu)_4$–*n*-BuLi
N. Theophilou, A. Munardi, R. Aznar, J. Sledz, F. Schué and H. Naarmann	15	Polymerization of acetylene in the presence of a tungsten-based catalyst, and geometric structure, electrical properties and morphology of the polymer
Hendra Satyo, Thomas Stelter and Jürgen Springer	21	Photodegradation of poly-5-bromoacenaphthylene
T. Hamaide, A. Revillon et A. Guyot	27	Réactivité des macromonomères styréniques du polyoxyéthylène en transfert radicalaire
N. A. Weir and J. Arct	33	Reactions of methyl radicals with poly(vinylacetophenone) during photolysis
Wayne W. Y. Lau, Charles M. Burns and Robert Y. M. Huang	37	Interaction parameters in mixtures of polystyrene–poly(methyl methacrylate)–toluene
V. T. Truong, D. R. G. Williams and P. E. M. Allen	41	The effect of molecular properties on the mechanical behaviour of PMMA—II. Environmental stress cracking in methanol
L. A. Chandler M. M. Hirschler and G. F. Smith	51	A heated tube furnace test for the emission of acid gas from PVC wire coating materials: effects of experimental procedures and mechanistic considerations
Franco M. Rabagliati and Jesus M. Contreras	63	Epoxide polymerization—IX. Styrene oxide polymerization using the diphenylzinc–water system in benzene at various temperatures
Cristofor I. Simionescu, Silvia Ioan and Bogdan C. Simionescu	69	Solution properties of ultra-high molecular weight polymers—13. Viscosity–molecular weight relationships and unperturbed dimensions of poly(butyl methacrylate) in various solvents
P. P. Shah and H. B. Naik	73	Poly[2-methoxy-4,6-di(*p*,*p*′-isopropylidine diphenyloxy)-*s*-triazine] in solution. Treatment of viscometric data according to the theories of intrinsic viscosity of rigid-chain polymers
M. J. Seurin et P. Sixou	77	Comportement des solutions d'hydroxypropylcellulose en présence d'un sel inorganique
Manjeet Bhatia, P. Bajaj and R. B. Chavan	89	Structural investigation of the saponified products of acrylonitrile terpolymer by PMR and CMR spectroscopy

NUMBER 2

J. C. Bevington, T. N. Huckerby, M. G. Liu and F. G. Thorpe	95	The involvement of 2-vinylthiophene and 2-styrylthiophene in the radical polymerization of methyl methacrylate

T. Hammond and R. S. Lehrle — 99 — Long-term behaviour of molten polyethylene as a high-temperature stationary liquid phase for GLC suggests preferential scission at branch points

R. S. Davidson, R. J. Ellis, S. A. Wilkinson and C. A. Summersgill — 105 — A study of the polymerization of acrylates using electron beam radiation

L. H. Tagle and F. R. Diaz — 109 — Polymerization by phase transfer catalysis—5. Polycarbonates from diphenols with aromatic side groups

A. Laguerre, J. C. Rabadeux, H. Gueniffey et C M. Bruneau — 113 — Fixation de lysine par sa fonction αNH_2 sur chaîne oligométhacrylique

J. K. Kallitsis and N. K. Kalfoglou — 117 — Physical characterization of blends of isotactic poly(butene-1) with ethylene–propylene copolymer

I. Mondragon, P. M. Remiro and J. Nazábal — 125 — Exchange reactions on polyarylate–phenoxy blends: their influence on the physical and mechanical behaviour

G. Spiliopoulos, M. Statheropoulos and G. Parissakis — 129 — Mass spectrometric study of the stabilization of PVC with Ba/Cd stearates and dibasic lead phosphite

A. Gozlan and A. Zilkha — 133 — Electrochemical polymerization of dicarboxylic acids—III. Quantitative results in the electrolysis of adipic acid

A. Gozlan and A. Zilkha — 143 — Electrochemical polymerization of dicarboxylic acids—IV. Polymerization of sebacic acid

A. F. Shaaban, M. A. Salem and N. N. Messiha — 153 — Unsaturated polyesters—IV. Kinetics of polyesterification of cinnamylsuccinic acid with 1,4-tetramethylene glycol

H. G. Patel, R. M. Patel and S. R. Patel — 159 — Polyesters—1. Polycondensation of 4,4′-dichloromethyldiphenyl ether with sodium adipate, sebacate and terephthalate and characterization of polyetheresters

Ibrahim K. Ahmed, Ja'afar K. Jawad and Mohammad A. M. Rashied — 163 — Synthesis of some polyarenyl platinum ethers by using phase transfer catalysis

Jayashree Bijwe, Pramod S. Pandey, Padma Vasudevan and Anita Tripathi — 167 — Electrical properties of iron phthalocyanine systems with a mixed valenced central iron atom

Short Communications

I. M. Fraser and J. R. MacCallum — 171 — Optical anisotropy of excimer emission from solutions of polystyrene

J. V. Dawkins, S. A. Shakir and T. G. Croucher — 173 — Non-aqueous poly(methyl methacrylate) dispersions: radical dispersion polymerization in the presence of the diblock copolymer poly(styrene-b-methyl methacrylate)

C. Price and R. B. Stubbersfield — 177 — Solubilisation of homopolystyrenes by micelles formed by a polystyrene-b-poly(ethylene/propylene) copolymer in a base lubricating oil

Announcement — i

NUMBER 3

Van Tan Truong, P. E. M. Allen and D. R. G. Williams — 181 — The effect of molecular properties on mechanical behaviour of PMMA—III. Environmental stress crazing in methanol

T. N. Khan, R. H. Mobbs, C. Price, J. R. Quintana and R. B. Stubbersfield — 191 — Synthesis and colloidal behaviour of a polystyrene-b-poly(ethylene oxide) block copolymer

S. Roe and D. C. Sherrington — 195 — Hysteresis-like behaviour in the swelling/deswelling of polystyrene based crosslinked resins using acetone/water mixtures

Abdenbi Lekchiri, Joëlle Morcellet and Michel Morcellet — 201 — Spectroscopic study of the complexes of poly(ϵN-methacryloyl-L-lysine) and its model molecule with nickel(II)

H. N. Subramanyam and S. V. Subramanyam — 207 — Thermal expansion of irradiated polyoxymethylene

L. D'Ilario, P. Benni, E. Cernia, M. Lupoli, E. Mantovani, M. Schwarz and A. Zanobi — 213 — Reversibility of the doping of polyacetylene with iodine in the gas phase

Sergio Brückner and Silvia Luzzati — 217 — Crystalline isotactic *trans*-1,4-poly(1,3-pentadiene). Explanation of a stress-induced conformational transition

Marc J. M. Abadie et Loekman Satibi — 223 — Étude des propriétés de polycondensats à base de polybutadiènes hydroxytélécheliques (PBHT)

R. D. Patel, H. S. Patel and S. R. Patel — 229 — Co-ordination polymers of bis(8-hydroxy-5-quinolylmethylene) sulphide (BHQS)

F. Epaillard, J. C. Brosse et G. Legeay — 233 — Polymérisation de monomères organiques dans des plasmas froids—V. Polymérisation de monomères acryliques en présence d'amorceurs et de coamorceurs

J. Stehlíček and J. Šebenda — 237 — Anionic polymerization of ϵ-caprolactam—LX. Ionization and solvation changes in the initial stage of the anionic polymerization of lactams in tetrahydrofuran

J. Schmelzer and J. Springer — 243 — Production and properties of polyacenaphthylene—VI. Influence of polymerization conditions on chain structure

Navin Chand and P. K. Rohatgi — 249 — Tensile and impact behaviour of chopped sunhemp–polyester composites

Short Communications

C. A. Barson and J. C. Bevington — 251 — Copolymerizations involving methyl methacrylate, methyl acrylate, stilbene and p.fluorostilbene

Annick Bozzi and Adolphe Chapiro — 255 — The nature of the initiating centres for grafting in air-irradiated perfluoro polymers

Announcement — i

NUMBER 4

I — Dedication to Professor Maurice Stacey F.R.S. on the occasion of his 80th birthday

R. Schaller, M. G. Martl and K. Hummel — 259 — Comparative studies of photocrosslinking of a butadiene–styrene copolymer without and with a magnetic field

F. Pilati, A. Munari, P. Manaresi, G. Milani and V. Bonora — 265 — Linear and branched poly(butylene isophthalate): synthesis and molecular characterization

V

Brigitte Silinski, Claude Kuzmycz and Albert Gourdenne	273	Synthesis under microwaves (2.45 GHz) of polyurethane polymers—I. Model study from diisocyanate and polyethertriol prepolymers
A. Crespy, B. Joncour, J. P. Prevost, J. P. Cavrot et C. Caze	279	Étude de la compatibilité d'un système polyamide/phase caoutchoutique modifiée par l'anhydride maléique—I. Étude de la modification de la phase caoutchoutique par l'anhydride maléique
Henry Agbaje and Jürgen Springer	283	Production and properties of polyacenaphthylene—VII. Unperturbed dimensions and chain conformational studies of polyacenaphthylene
Costas Methenitis, Joëlle Morcellet et Michel Morcellet	287	Propriétés complexantes de polyélectrolytes dérivés des acides aspartique et glutamique
Jan Jager and Jan B. F. N. Engberts	295	Conformational behaviour of copolymers of acrylic acid and methacrylic acid in aqueous solution
B. Boutevin, Y. Pietrasanta, J. Conan et R. Vera	301	Réalisation de mousses de polyuréthanne rigide pour revêtements ignifuges résistants à l'eau
P. B. Arora, H. S. Patel and S. R. Patel	307	Resacetophenone–furfural polymers
G. Manivannan and P. Maruthamuthu	311	Peroxo salts as initiators of vinyl polymerization—III. Polymerization of acrylonitrile initiated by the peroxomonosulphate–Co(II) redox system
S. H. Goh and S. Y. Lee	315	Miscibility of poly(2,6-dimethyl-1,4-phenylene oxide) with styrene–2,2,6,6-tetramethylpiperidinyl methacrylate copolymers
E. F. Okieimen	319	Studies on the graft copolymerization of cellulosic materials
Hideharu Ushiki, Fumihiko Tanaka and Shinji Sakanoue	323	Study on the polymer-induced coil–globule transition. Intramacromolecular self-quenching rates of anthryl groups attached to a polymer side chain
Saburo Akiyama, Hideharu Ushiki, Yoshihisa Kano and Yasuaki Kitazaki	327	Adhesive polymer. Fluorescence depolarizations of chromophores in adhesive agent on poly(ethylene terephthalate) base film
Z. Vymazal, K. Volka, Z. Vymazalová, L. Mastný and M. W. Sabaa	331	Effect of stabilizers in the thermal treatment of PVC—XVIII. Action of calcium stearate

NUMBER 5

F. J. de las Nieves López and R. Hidalgo-Alvarez	337	Electroconduction and electrokinetic parameters of ionic plugs. Comparison between theoretical and experimental values
Lubomír Šimek and Miloslav Bohdanecký	343	Estimation of the polymer–solvent interaction parameters for polyesters of aliphatic acids
E. Pierri and A. Dondos	347	Viscometric determination of the two critical concentrations of polymers in solution
J. Chauchard, B. Chabert, G. Nemoz et P. Jeanne	353	Influence du mode de préparation (avec et sans solvant) sur le comportement rhéologique d'une matrice polyépoxyde
T. Hatakeyama, A. Yamauchi and H. Hatakeyama	361	Effect of thermal hysteresis on structural change of water restrained in poly(vinyl alcohol) pseudo-gel

J. A. Bousquet and J. P. Fouassier — 367 Photo-oxidation of a random styrene–butadiene copolymer: role of hydroperoxides and behaviour of butenyl segments

V. Špaček, J. Pouchlý and J. Biroš — 377 The kinetics of model reactions of curing epoxy resins with amines

K. Schwetlick, J. Pionteck, T. König and W. D. Habicher — 383 Organophosphorus antioxidants—VIII. Kinetics and mechanism of the reaction of organic phosphites with peroxyl radicals

Surekha R. Patel, Hasmukh S. Patel and Shanti R. Patel — 389 Synthesis and characterization of keto-sulphide resins

A. Gozlan and A. Zilkha — 393 Electrochemical polymerization of dicarboxylic acids—V. Effect of chain length between the carboxyl groups

Mayur Patel and Bhikhu Suthar — 399 Interpenetrating polymer networks from castor oil based polyurethanes and poly(methyl acrylate)—IV

Costas Methenitis, Joëlle Morcellet and Michel Morcellet — 403 Circular dichroism study of palladium(II) complexes with some optically active polyacids

K. Ito — 409 Auto-acceleration of radical polymerization rate in polymerization of styrene under the condition of predominant transfer

NUMBER 6

B. Boutevin, Y. Pietrasanta et J. J. Robin — 415 Matériaux composites à base de graves et de liants polymères—V. Étude d'un nouveau liant à base de bitume et de polyéthylène ozonisé

Marc J. M. Abadie et Loeckman Satibi — 423 Synthèse de polybutadiènes à extremités hydroxyles

C. Guery, M. Viguier et A. Commeyras — 433 Monomère acrylique fluoré. Synthèse à partir d'un époxyde fluoré, catalysée par la triphényl phosphine

G. Bauduin, J. Mouanda, M. Taha, M. Sergent, D. Mathieu et R. Phan Tan Luu — 441 Mise au point d'un nouveau béton léger de polystyrène expansé—I: étude des constituants principaux

G. Bauduin, J. Mouanda, M. Taha, D. Mathieu, R. Phan Tan Luu et M. Sergent — 447 Mise au point d'un nouveau béton léger de polystyrène expansé—II: études des additifs

P. Raby, F. Heatley, R. H. Mobbs, C. Price and R. B. Stubbersfield — 455 Nuclear magnetic relaxation studies of globular particles formed by the association of lithium polystyrene carboxylate

David S. Brown, John V. Dawkins, Angela S. Farnell and Graham Taylor — 463 Study of micelle formation by the diblock copolymer poly(styrene-*b*–dimethyl siloxane) in *n*-dodecane by small angle X-ray scattering

E. Pérez, J. G. Fatou and A. Bello — 469 Study of the melting process in polyoxetanes

T. Sato, M. Oka, H. Tanaka and T. Ota — 475 Long-lived polymer radicals in the polymerization of *N*-methylmethacrylamide in cyclohexane

A. Mantecón, V. Cádiz, A. Serra and P. A. Martínez — 481 Curing of *N,N'*-diglycidylimides with polyfunctional compounds

N. Somanathan, R. Sanjeevi, C. Rami Reddy and N. Radhakrishnan — 489 Graft co-polymerization of casein with acrylonitrile and *n*-butyl methacrylate

Premamoy Ghosh, Arabinda Sekhar Bhattacharyya and Somnath Maitra 493 Studies on the kinetics of dehydrochlorination of poly(vinyl chloride) in solution induced by a weak base

Short Communication

J. C. Bevington and G. Ayrey 497 The reactions of 2-vinylnaphthalene and 4-vinylbiphenyl with the benzoyloxy radical

NUMBER 7

J. Coudane et M. Vert 501 Polyacides amiques et polyimides dérivés de l'anhydride amino-4 phtalique

A. Petit, M. T. Cung et J. Néel 507 Étude de la composition et de la microstructure de copolymères radicalaires vinyl-4 pyridine–styrène par RMN ^{1}H et ^{13}C

A. Gozlan and A. Zilkha 515 Electrochemical polymerization of dicarboxylic acids—VI. Mechanism of polymerization

B. Boutevin, Y. Pietrasanta et J. J. Robin 525 Matériaux composites à base de graves et de liants polymères—VI. Étude des enrobés à base de liant bitume–polyéthylène ozonisé et de granulats minéraux

Jean-Pierre Mendy, Christian Larchet, Pierre Schaetzel and Bernard Auclair 533 Méthode de détermination de l'exclusion d'un electrolyte fort par une membrane échangeuse d'ions

J. Pigłowski 541 Mischungsverhalten von Polyvinylchlorid und Polyepichlorhydrin

S. Shaw and R. P. Singh 547 Study of compatibility of polystyrene with ethylene–propylene–diene rubber

J. L. Nieto, J. Baselga, I. Hernandez-Fuentes, M. A. Llorente and I. F. Piérola 551 Polyacrylamide networks. Kinetic and structural studies by high field ^{1}H-NMR with polymerization *in situ*

D. S. Ogunniyi 557 Stress relaxation studies of Viton GF fluoroelastomer vulcanizates

M. Chater and J. M. Vergnaud 563 Effect of kinetic and thermal parameters on the process of cure of epoxy resin in a cylindrical mould

L. Gargallo, E. Soto, F. R. Díaz, L. H. Tagle and D. Radić 571 Some aspects of the solution properties and chain flexibility of poly[2,2-propane-bis(4-phenylthiocarbonate)]

Short Communication

J. G. Deshmukh, M. H. Jagdale, R. B. Mane, M. M. Salunkhe and P. P. Wadgaonkar 577 Oxidation of organic compounds by polymer-supported bromate ion

NUMBER 8

Jan Jager and Jan B. F. N. Engberts 579 Effects of aqueous non-electrolytes on the compact coil → random coil conformational transition of poly(methacrylic acid)

V. Louvet, H. Handel, P. Appriou et R. Guglielmetti 585 Tétraazamacrocycles greffés sur polymère, synthèse et propriétés complexantes

Barbara D. Barr-Howell and Nikolaos A. Peppas 591 Structural analysis of poly(2-hydroxyethyl methacrylate) microparticles

Van Tan Truong, P. E. M. Allen and D. R. G. Williams 595 The effect of molecular properties on the mechanical behaviour of PMMA—IV. The role of chain entanglements in fracture processes

Joseph Selb and Robert Jérôme 603 Reactions of organolithium compounds with poly(vinyl chloride), poly(methyl methacrylate) and poly(styrene-co-acrylonitrile) as labelling pathways with fluorescent chromophores

C. M. Kok 611 The effects of compounding variables on the reversion process in the sulphur vulcanization of natural rubber

Françoise M. Winnik and Christopher K. Ober 617 Coloured particles by dispersion polymerization

Yu. A. Shlyapnikov and A. P. Mar'in 623 New phenomena observed on dissolution of low-molecular compounds in polymers. The sorption isotherms

Yu. A. Shlyapnikov and A. P. Mar'in 629 New phenomena observed on dissolution of low-molecular compounds in polymers. Antioxidant solubility

Yu. A. Shlyapnikov and N. N. Kolesnikova 633 Interaction kinetics of peroxides and organic sulphides in atactic polypropylene

S. Varbanov, G. Agopian and G. Borisov 639 Polyurethane foams based on dimethylaminomethylphosphine oxide adducts with ethylene and propylene oxides

Yoshio Utena, Hirofumi Yajima, Tadahiro Ishii and Takahashi Handa 643 Excimer emission in protonated pyridine systems—4. Effect of molecular weight on dimer-like excimer formation of poly-2-vinylpyridine in rigid glass solution in the presence of trifluoroacetic acid at 77 K

Short Communications

C. Price, E. K. M. Chan and R. B. Stubbersfield 649 The effect of block length on the thermodynamic stability of micelles formed by polystyrene-*block*-polyisoprene copolymers in *n*-hexadecane

T. Hammond and R. S. Lehrle 653 The thermal degradation of poly(acenaphthylene)

Announcement i

NUMBER 9

D. Derouet, T. Piatti et J. C. Brosse 657 Synthèse de polyesters phosphoriques supports de molécules actives—II. Étude de la polycondensation de monomères du type phosphorodichloridate de 0-alkyle (ou 0-aryle) avec les diols $\alpha\omega$-linéaires non aromatiques

F. M. Galloway and M. M. Hirschler 667 Hydrogen chloride release from poly(vinyl chloride): model for its decay

L. A. Chandler and M. M. Hirschler 677 Further chlorination of poly(vinyl chloride): effects on flammability and smoke production tendency

V. F. Kurenkov, M. N. Trifonova and V. A. Myagchenkov 685 Peculiarities of the inverse emulsion polymerization of acrylamide in the presence of hydrolyzing agent and persulphate–tris-(2-carbamoylethyl) amine initiator

C. I. Simionescu, Geta David and M. Grigoras 689 Ring-opening isomerization polymerization of 2-methyl-2-oxazoline initiated by charge transfer complexes

François Leverd, Alain Fradet and Ernest Maréchal 695 Study of model esterifications and of polyesterifications catalyzed by various organometallic derivatives—I. Study of esterifications catalyzed by titanium derivatives

François Leverd, Alain Fradet and Ernest Maréchal 699 Study of model esterifications and of polyesterifications catalyzed by various organometallic derivatives—II. Study of esterifications and polyesterifications catalyzed by zirconium derivatives

François Leverd, Alain Fradet and Ernest Maréchal 705 Study of model esterifications and of polyesterifications catalyzed by various organometallic derivatives—III. Kinetic and mechanistic study of esterifications catalyzed by tetrabutoxytitanium or zirconium

F. F. Vercauteren, W. A. B. Donners, R. Smith, N. J. Crowther and D. Eagland 711 Factors influencing the aqueous solution behaviour of vinyl alcohol with vinyl acetate copolymers

E. T. Kang and K. G. Neoh 719 Halogen induced polymerization of furan

Alfonso J. Chirinos Padrón, Maria A. Colmenares, Zimbul Rubinztain and Luis A. Albornoz 723 Influence of additives on some physical properties of high density polyethylene—I. Commercial antioxidants

Alfonso J. Chirinos Padrón, Zimbul Rubinztain and Maria A. Colmenares 729 Influence of additives on some physical properties of high density polyethylene—II. Commercial u.v. stabilizers

Pradip S. Patel and Shanti R. Patel 733 Synthesis, characterization of *m*-aminophenol–furfural and *m*-diethylaminophenol–furfural resins

NUMBER 10

Yusuf Yagci, Wolfram Schnabel and Anthony Ledwith 737 Synthesis and reactions of polymers with photoactive terminal groups—3. The use of radical promoted cationic polymerization for the synthesis of poly(*n*-butyl vinylether) with *N*-acyl dibenz(b, f)azepine terminal units

M. Carenza, G. Palma, S. Lora and F. Filira 741 Low temperature radiation-induced polymerization of 2-hydroxyethyl methacrylate for polymer matrix preparation

C. Silvestre, F. E. Karasz, W. J. MacKnight and E. Martuscelli 745 Morphology of poly(ethylene oxide)/poly(vinyl acetate) blends

G. Kostov, Z. Bakalova, M. Mihailova and B. Jordanov 753 Application of an i.r. compensation technique for studying the composition and structure of high impact polystyrene

M. F. Grenier-Loustalot, L. Orozco et P. Grenier 757 Influence de l'environnement moléculaire sur la réactivité des groupements *N*-(époxyde)$_2$ vis à vis des amines aromatiques: étude de systèmes modèles résine diépoxyde/aniline

Quang Le Van and Albert Gourdenne 777 Microwave curing of epoxy resins with diaminodiphenylmethane—I. General features

U. Boog, Huang Tianbao and G. Meyerhoff 781 The sedimentation behaviour of semi-dilute solutions of poly(methyl methacrylate)

T. Hamaide, A. Revillon and A. Guyot 787 Radical transfer on styrenic macromonomers of polyoxyethylene—II. Studies on model compounds

S. V. Patel, H. S. Patel and S. R. Patel 795 Synthesis and characterization of poly(keto-amines) containing imino-bz-dimethyl phenacyls

J. R. Thakkar, R. G. Patel and V. S. Patel 799 Kinetic study on the effect of addition of epoxy diluents and/or fortifier on the curing characteristics of DGEBA by differential scanning calorimetry

N. Somanathan, V. Arumugam and R. Sanjeevi 803 Mechanical properties and temperature dependence of grafted casein films

Daniele C. Bugada and Alfred Rudin 809 Branching in low density polyethylene by ^{13}C-NMR

S. Radhakrishnan and S. G. Joshi 819 Crystallization behaviour of poly(phenylene sulphide)/polystyrene blend

Short Communication
M. B. Huglin and M. M. A.-M. Rehab 825 Some observations on monomer reactivity ratios in aqueous and non-aqueous media

Announcement i

NUMBER 11

Y.-H. Hsu and J. E. Mark 829 Elastic and thermoelastic properties of "inorganic rubber"

C. A. Barson and D. R. Fenn 833 A method for determining reactivity ratios when copolymerizations are influenced by penultimate group effects

C. A. Barson and D. R. Fenn 835 A method for determining reactivity ratios in copolymerizations in the presence of a ceiling temperature effect

A. Martorana, V. Malta, G. Cojazzi, A. Fichera, A. Marigo and R. Zannetti 839 Structural disorder in α^*-nylon 10

M. Pizzoli, M. Scandola and G. Ceccorulli 843 Molecular motions in polymer–diluent systems: polystyrene–tritolylphosphate

D. C. Bugada and Alfred Rudin 847 Long chain branching indices of low density polyethylenes from size exclusion chromatography and ^{13}C-NMR spectroscopy

A. Laguerre, J. C. Rabadeux, H. Gueniffey et C. M. Bruneau 851 Fixation d'acides α aminés sur chaînes méthacryliques par l'intermédiaire d'une fonction amide

M. G. B. Mahboubian Jones, D. Hayward and R. A. Pethrick 855 Dielectric relaxation in segmented polyurethane elastomers: influence of 1:3 and 1:4 butanediol cure on the dynamic properties

C. T. Vijayakumar, J. K. Fink and K. Lederer 861 Pyrolysis studies on polyalkylene phthalates

E. F. Okieimen and K. I. Idehen 867 Grafting acrylonitrile and methyl methacrylate on holocellulosic materials

Atsushi Inaba and Takashi Kashiwagi 871 A calculation of thermal degradation initiated by random scission, unsteady radical concentration

S. Wali Alami and C. Caze 883 Influence of the texture of the polymer support on the kinetics of reduction by supported borohydride

A. A. Chalmers and P. Perlstein 887 Identification of hardeners in solid epoxy resins by high-resolution ^{13}C-NMR

H. Sivriev, G. Borissov, L. Żabski and Z. Jedlinski 891 Rigid polyurethane foams with reduced flammability based on phosphorus- and nitrogen-containing polyols obtained from tetrakis(hydroxymethyl)-phosphonium chloride

S. Prema and M. Srinivasan 897 Preparation and properties of polyamides containing thianthrene units

Jayalakshmi Gopal and M. Srinivasan 905 Synthesis and characterization of poly(amide–ureas)

Issa A. Katime, M. S. Anasagasti, M. C. Peleteiro and R. Valenciano 907 Compatibility of poly(ethylene oxide)/poly(vinyl chloride) blends by differential scanning calorimetry

A. K. Srivastava, S. Saini, S. K. Nigam and J. S. P. Rai 913 Studies on the polymerization of methyl acrylate initiated by heterocyclic ylide

Short Communications

John M. G. Cowie, Iain J. McEwen and M. Teresa Garay 917 Molecular weight and tacticity effects on the glass transition of poly(acrylic acid)

C. I. Simionescu, E. Comanita, V. Harabagiu and B. C. Simionescu 921 Synthesis of polyester–poly(vinyl monomer) block copolymers

NUMBER 12

M. Galin et L. Maslinko 923 Étude thermodynamique du système compatible polyfluorure de vinylidène–polyméthacrylate d'éthyle par chromatographie gaz–liquide

I. Lukáč, E. Mikulová and P. Hrdlovič 929 Synthesis and photolysis of copolymers with 1-(4-carbethoxyphenyl)-2-propen-1-one structural units

Alfonso J. Chirinos-Padrón, Petra H. Hernández, Emily Chávez, Norman S. Allen, Constantine Vasiliou and Michel DePoortere 935 Influences of unsaturation and metal impurities on the oxidative degradation of high density polyethylene

K. H. van Streun, P. Piet and A. L. German 941 Effects of 2,4-ionenes of different molar masses on the oxidative coupling of thiol catalyzed by cobaltphthalocyanine

Thomas A. Wielema and Jan B. F. N. Engberts 947 Zwitterionic polymers—I. Synthesis of a novel series of poly(vinylsulphobetaines). Effect of structure of polymer on solubility in water

Kazimiera Suchocka-Gałaś 951 Far-infrared studies of ion clustering in styrene-based ionomers containing alkali metal salts of acrylic acid

K. Ito and T. Aoyama 955 Conversion-time curves in the diffusion-controlled free radical polymerization of styrene

José G. de la Campa, Javier de Abajo, Ana Mantecón and Virginia Cadiz 961 Curing reaction of diepoxyimides. A DSC study

H.-J. Timpe, B. Basse, F. W. Müller und C. Müller 967 Sauerstoffbeweglichkeit in Polymerfilmen bei niedrigen Partialdrücken

Jung-Il Jin and Joo-Hoon Park 973 Main chain thermotropic copolyesters containing imino group linked mesogenic units and polymethylene spacers

A. Belfkira, M. Camps, J. P. Monthéard et G. Boiteux 979 Étude diélectrique de films minces de poly-α-acétoxystyrènes *para*-substitués

Short Communications

N. S. Allen, F. Catalina, C. Peinado, R. Sastre, J. L. Mateo and P. N. Green 985 Synthesis, characterization and photopolymerization activity of a novel thioxanthone monomer and photopolymers

Jean-Michel Widmaier and Gilles Mignard 989 Polystyrene–poly(α-methylstyrene) blends: influence of molecular weight on miscibility

G. Geuskens, J. L. Gielens, D. Geshef and R. Deltour 993 The electrical conductivity of polymer blends filled with carbon-black

Son Xubing, Xu Jianmin, Wang Tinggui, Chen Yingcai and Xu Chengwei 997 Monte Carlo simulation for the conformation of a polymer chain confined in a sphere

Announcement i